



Product catalogue



EVERYTHING
YOU NEED

FOR YOUR JOINERY
WORKSHOP



ABOUT US

Craftdrew is a Polish brand that was created out of a great passion for wood and carpentry.

We design and manufacture the highest quality tools and accessories, intended for both professionals and wood crafts enthusiasts. We are well aware that the success of a workshop consists of three factors: hard work, skills and the right equipment. It is the right tools of the highest quality that guarantee not only efficient operation, but also safety - which, especially in the woodworking industry, is extremely important.

Years of experience translate directly into the quality and ergonomics of the equipment we offer. After all, before we started manufacturing woodworking tools, we were on the other side ourselves. That is why we know really well what are the expectations of the users of our tools and what needs to be done to meet them. We are distinguished by innovation and an individual approach to each client. And thanks to the fact that we have our own machine park, we are able to undertake any project with responsibility.

OUR OFFER INCLUDES:

- wide range of timber gluing presses ●
- spray workshop drying racks ●
- transport carts ●

... we also offer lots of other tools
for your everyday workshop needs.



Contents



Heavy duty gluing presses	4-8
Work table with press	9-12
Carts	13-19
Spray table	20-21
Hydraulic tables	22-25
Planer	26-27
Transport	28-30
Tools gallery	31-32

Heavy duty
gluing presses



PSK press

Portable presses.



PSK2000

- Length of glued elements: 2000 mm
- Width of glued elements: 75-1225 mm
- Thickness of glued elements: 18-110 mm
- 4x Vertical pressure clamp
- 2x Vertical levelling clamp



PSK2000 4+2



PSK2700 8+3

PSK2700

- Length of glued elements: 2700 mm
- Width of glued elements: 75-1225 mm
- Thickness of glued elements: 18-110 mm
- 6x or 8x Vertical pressure clamp
- 3x Vertical levelling clamp
- Side pressure clamps for gluing windows frames

PSK4000

- Length of glued elements: 4000 mm
- Width of glued elements: 75-1225 mm
- Thickness of glued elements: 18-110 mm
- 8x Vertical pressure clamp
- 3x Vertical levelling clamp
- Side pressure clamps for gluing windows frames



PSK4000 12+4



PSW

Wall mounted presses

PSW2000

- Length of glued elements: 2000 mm
- Width of glued elements: 75-1225 mm
- Thickness of glued elements: 18-110 mm
- 4x Vertical pressure clamp
- 2x Vertical levelling clamp



PSW2000 4+2

PSW2700 8+3



PSW2700

- Length of glued elements: 2700 mm
- Width of glued elements: 75-1225 mm
- Thickness of glued elements: 18-110 mm
- 6x or 8x Vertical pressure clamp
- 3x Vertical levelling clamp
- Side pressure clamps for gluing windows frames

PSW4000


- Length of glued elements: 4000 mm
- Width of glued elements: 75-1225 mm
- Thickness of glued elements: 18-110 mm
- 8x Vertical pressure clamp
- 3x Vertical levelling clamp
- Side pressure clamps for gluing windows frames



PSW4000 8+3


Pneumatic press

PPC-3000 H1250



PPC-3000 H1250

- Length of glued elements: 3000 mm, divided into 4 sections 750 mm
- Width of glued elements: 100-1250 mm, regulowana co 50 mm
- Thickness of glued elements: 20-160 mm
- 6x Vertical pressure clamp
- Single section pressure: max. 3000 kg
- External air compressor required, pressure 10 Bar / 1 Mpa
- Bespoke sizes available. Build to client requirements.




Adjustable top panel



Adjustable vertical alignment



Clamp side storage



Adjustable base holding plates




Independent pressure for every section



Pneumatic press

PPC 3000 H1250 PKR



PPC 3000 H1250 PKR

- Length of glued elements: 3000 mm
- 4 independent sections 750 mm
- Width of glued elements: 100-1250 mm, regulowana co 50 mm
- Thickness of glued elements: 20-160 mm
- 6x Vertical pressure clamp
- Single section pressure: max. 3000 kg
- External air compressor required, pressure 10 Bar / 1 Mpa
- Bespoke sizes available. Build to client requirements.
- Side pressure clamps for gluing windows / door frames
- 2 x side pressure mechanism. Additional available on request.
- Side clamps adjustable every 50mm




Independent pressure
for every section

Work table with press



SKP1100




Work table + Press SKP1100

- Length of glued elements: 0-1120 mm
- Thickness of glued elements: 25-110 mm
- Available table lengths: 1500, 2000, 2500, 3000 mm
- Adjustable position 4 way clamps
- Adjustable table position horizontal to vertical
- 20 mm holes, every 100 x 100 mm








SKP - L2500
• 6 x SKP1100
• clamp storage
• mdf top






SKP - L3000
• 8 x SKP1100
• clamp storage
• mdf top





SKP - L1500
• 4 x SKP1100
• mdf top



SKP - L2000
• 6 x SKP1100
• clamp storage
• mdf top






Adjustable position
Horizontal - Vertical

Clamp storage under table.




Adjustable clamps position




Optional installation
of planer
PF-1000

4 Way clamps basic system.

Independent clamps + mounting strip



Stabilizing mounting strip for SKP independent clamps
without rollers. Mounted on any flat table surface.
Mounting strip Lengths - L1240 and L1990



Carts



Board transport cart WP-400




WP-400


- Perfect match with DTP-200
Use DTP-200 to lift boards of the cart and slide to panel saw.
- Space for 22 boards 18mm thick, base depth 400 mm
- Adjustable width:
 - 3 columns: 500-3000 mm
 - 2 columns: 250-1500 mm




WP-400N-2K




WP-400N-3K



WP-2x400N-2K



WP-2x400N-3K







Spray drying racks

SLP


- Shelf depth: 500 mm
- 15 x removal round bar
- Adjustable and compact only 250mm minimum space required.
- Heavy duty castors with brakes.




Easy adjustment for different height sprayed elements




Minimum amount of space required.
Space saver if unused.







SLP-250N-500-2K



SLP-250N-500-4K




SLP-250R-500-2K




SLP-250R-500-4K




SLP-250N-2x500-2K





SLP-250N-2x500-4K



SLP-250R-2x500-2K



SLP-250R-2x500-4K



SLP-250NH-500






Versatile and adjustable.
From corner position to two sided racks.



Adjustable slide out base for stability



SLP-250NH-500

- Round bar shelf depth: 500 mm
- 14 x round removable round bar
- From corner to two sided rack position.
- Minimum required width space for storage 330mm





Transport and storage cart WT-1000





WT-1000

- Small and compact size: 1200x850 mm
 - Weight capacity 400 kg
 - Transport and storage of boards, pipes etc.
- Frame fixed at the angle for stability and easy / safe transport.

Transport and storage cart WT-1500

WT-1500

- Size: 1650x900 mm
- Weight capacity 600 kg
- Ideal for vertical and horizontal board storage



Additional columns available if required to create more vertical storage space

Spray table





SL-100



SL-100

- Adjustable height: 700-900 mm
- Adjustable feet level.
- Weight capacity: 100 kg
- Adjustable arms to different size sprayed elements.





Hydraulic tables



Hydraulic table SNC1, SNC2, SNC2e

SNC1

- Weight capacity: 300 kg
- Height adjustment: 400-1000 mm
- Replacable mdf top: 800x1225 mm



SNC2

- Weight capacity: 300 kg
- Height adjustment: 565-1065 mm
- Replacable mdf top: 1020x1725 mm
- Additional accessories available.

SNC2e

- Precise electric height adjustment
- Weight capacity: 300 kg
- Battery operated lift mechanism. 6h operating time.
- Height adjustment: 650-1050 mm
- Replacable mdf top: 1020x1725 mm
- Additional accessories available.



Accessories for SNC2 i SNC2e

Side loading frame

- Easy loading and transport
- From vertical position to horizontal loading to any panel saw or work table.



SKP clamps installation frame

- Installation frame allows to add SKP clamps to hydraulic table as an additional option of having adjustable table with press.
- Quick installation
- Frame length: 2000 mm



Table extensions

- Extend your work table capacity
- Quick installation
- Max width: 2700 mm

Table extensions

- Allows to extend the table length
- Maximum length: 3030 mm






Table top clamp

- Compatible with 20 mm table top holes.
- Pressure strength: ok. 200 kg
- Two heights of stoppers available: 15 mm i 30 mm




Planer






Planer PF-1000




PF-1000

- Maximum width: 1020 mm
- Maximum height: 0-150 mm
- Mounted as standard on SKP table
- Universal mounting router base
- Heavy duty frame for stability

PF-1000 on SNC2



PF-1000 on SKP





Transport



Board transport cart DTP-200




DTP-200

Board transport cart.

- One person required only
- Weight capacity: 200 kg
- vertical position safety lock
- Height adjustment: 850-950 mm
- Perfect match with WP-400 (vertical board storage cart)

Vertical to horizontal loading DTP-200





Vacuum lift PP-150

PP-150

Vacuum lift was created for small type of workshops.

Easy to operate in tight spots.

- Maximum lifting width 1600 mm
- Maximum vacuum pads width: 1250x1050 mm
- Weight capacity: 150 kg
- Optional larger pump weight capacity: 200 kg
- 8 h working capacity at one charge.



Vertical to horizontal position 90°
Left to right 180°



Adjustable position of vacuum pads



Accessible main control position






Our product gallery




PSK-5000



PPC-3000



PPC-3000




DTP-200




SKP-1100




PSW-2700





Our factory





tel. +48 797 617 567
e-mail: kontakt@craftdrew.com

Siedziba firmy
Sobienki 30,
08-445 Osieck

craftdrew.com